

FIG. 1



2/10




FIG. 2A



3/10




FIG. 2B



4/10

DIV OBJECTS

PARAMETERS

CONTENTS: TABLE OBJECT

PARAMETERS

CONTENTS: ROW OBJECT

PARAMETERS

CONTENTS: CELL OBJECT

PARAMETERS

CONTENTS: TEXT OBJECT;

PARAMETERS

INPUT OBJECT

PARAMETERS

Write the content of the div

(prints itself and what's contained within it)

<DIV ...DEFINING PROPERTIES...>

<TABLE ...DEFINING PROPERTIES...>

<TR...>

<TD...> SOME TEXT <INPUT TYPES="TEXT"> </TD>

</TR>

</TABLE>

</DIV>

FIG. 2C



5/10




FIG. 3



6/10

CardID	DataSourceTable	DataFieldName	ValueLookupSp
1036	Closing3	LenderBrokerContactName	<NULL>
1036	Closing3	LenderBrokerContactFax	<NULL>
1036	Closing3	LenderBrokerContactEmail	<NULL>
1036	PrimaryBuyer	NameLast	<NULL>
1036	Closing	InvestorID	'cs vl InvestorList '+FileID
1036	Closing3	DateReceived	<NULL>
1036	Closing	ClosingDate	<NULL>
1036	vwHUD901	Date1	<NULL>
1036	Closing3	DocPrepFee	<NULL>
1036	Closing3	ClosingCoordinationFee	<NULL>
1036	Closing3	DocRedrawFee	<NULL>
1036	Closing3	DocCourierFee	<NULL>
1036	Closing3	GMDFeesTotal	<NULL>
1036	Closing3	PreliminaryProcessorID	'cs vl PreliminaryProcessor '+FileID
1036	Closing	PropertyStateID	'cs vl States '+FileID
1036	Closing	MortgagePurpose	'cs vl MortgagePurpose '+FileID
1036	PrimaryBuyer	NameFirst	<NULL>
1036	Closing3	DocRushFee	<NULL>
1036	Closing	InvestorFileNumber	<NULL>
*			

FIG. 4A



7/10

322

HTML tag	HTML flags	HTML definition	HTML style	HTML field name
input	<input>	(class:TextField, type:text, 'dataformat:1', 'maxlength:255', 'onchange:return formatData(this, true);')	(width:220)	LenderBrokerContactName
input	<input>	(class:TextField, type:text, 'dataformat:1', 'maxlength:15', 'onchange:return formatData(this, true);')	(width:110)	LenderBrokerContactFax
input	<input>	(class:TextField, type:text, 'dataformat:1', 'maxlength:255', 'onchange:return formatData(this, true);')	(width:220)	LenderBrokerContactEmail
input	<input>	(class:TextField, type:text, 'dataformat:1', 'onchange:return formatData(this, true);')	(width:330)	NameLast
select	<select>	(class:DropDown, 'dataformat:1', 'onchange:return formatData(this, true);')	(width:330)	InvestorID
input	<input>	(class:TextField, type:text, 'dataformat:3', 'onchange:return formatData(this, true);')	(width:110)	DateReceived
input	<input>	(class:TextField, type:text, 'dataformat:3', 'onchange:return formatData(this, true);')	(width:110)	ClosingDate
input	<input>	(class:TextField, type:text, 'dataformat:3', 'onchange:return formatData(this, true);')	(width:110)	Date1
input	<input>	(class:TextField, type:text, 'dataformat:5', 'onchange:return formatData(this, true);')	(width:110, text-align:right)	DocPrepFee
input	<input>	(class:TextField, type:text, 'dataformat:5', 'onchange:return formatData(this, true);')	(width:110, text-align:right)	ClosingCoordinationFee
input	<input>	(class:TextField, type:text, 'dataformat:5', 'onchange:return formatData(this, true);')	(width:110, text-align:right)	DocRedrawFee
input	<input>	(class:TextField, type:text, 'dataformat:5', 'onchange:return formatData(this, true);')	(width:110, text-align:right)	DocCourierFee
input	<input>	(class:TextField, type:text, 'dataformat:5', 'onchange:return formatData(this, true);')	(width:110, text-align:right)	GPIFeesTotal
select	<select>	(class:DropDown, 'dataformat:1', 'onchange:return formatData(this, true);')	(width:55)	PreliminaryProcessorID
select	<select>	(class:DropDown, 'dataformat:1', 'onchange:return formatData(this, true);')	(width:110)	PropertyStateID
select	<select>	(class:DropDown, 'dataformat:1', 'onchange:return formatData(this, true);')	(width:110)	MortgagePurpose
input	<input>	(class:TextField, type:text, 'dataformat:1', 'onchange:return formatData(this, true);')	(width:330)	NameFirst
input	<input>	(class:TextField, type:text, 'dataformat:5', 'onchange:return formatData(this, true);')	(width:110, text-align:right)	DocRushFee
input	<input>	(class:TextField, type:text, 'dataformat:1', 'maxlength:30', 'onchange:return formatData(this, true);')	(width:220)	InvestorFileNumber
*				

FIG. 4B



8/10

HTML Cell Definition	HTML Label	HTML Label Definition	HTML Label Cell Definition	HTML Row Definition	HTML Field Order	Tool Tip	Blocked	Customer	ID
▶ 0	Lender/Broker Contact Name	0	0	(Height:22, 'class:CardRow)	75	<NULL>	0	0	323
0	Lender/Broker Contact Fax	0	0	(Height:22, 'class:CardRow)	80	<NULL>	0	0	324
0	Lender/Broker Contact eMail	0	0	(Height:22, 'class:CardRow)	85	<NULL>	0	0	325
0	Primary Borrower Last Name	0	0	(Height:22, 'class:CardRow)	10	<NULL>	0	0	326
0	Investor	0	0	(Height:22, 'class:CardRow)	15	Select Investor from	0	0	327
0	Data Received	0	0	(Height:22, 'class:CardRow)	20	<NULL>	0	0	328
0	Closing Date	0	0	(Height:22, 'class:CardRow)	25	<NULL>	0	0	329
0	Disbursement Date	0	0	(Height:22, 'class:CardRow)	30	<NULL>	0	0	330
0	Doc Prep Fee	0	0	(Height:22, 'class:CardRow)	35	<NULL>	4194304	0	331
0	Closing Coordination Fee	0	0	(Height:22, 'class:CardRow)	40	<NULL>	4194304	0	332
0	Redraw Fee	0	0	(Height:22, 'class:CardRow)	45	<NULL>	4194304	0	333
0	Courier Fee	0	0	(Height:22, 'class:CardRow)	50	<NULL>	4194304	0	334
0	Amount Due	0	0	(Height:22, 'class:CardRow)	55	<NULL>	4194304	0	335
0	Preliminary Processor	0	0	(Height:22, 'class:CardRow)	60	<NULL>	0	0	336
0	Property State	0	0	(Height:22, 'class:CardRow)	65	<NULL>	0	0	337
0	Mortgage Purpose	0	0	(Height:22, 'class:CardRow)	70	Select Purpose of A	0	0	338
0	Primary Borrower First Name	0	0	(Height:22, 'class:CardRow)	12	<NULL>	0	0	339
0	Rush Fee	0	0	(Height:22, 'class:CardRow)	42	<NULL>	4194304	0	340
0	Investor Loan Number	0	0	(Height:22, 'class:CardRow)	5	<NULL>	0	0	341
*									

FIG. 4C



10/10




FIG. 6